

TOP SECRET

Copy 32
6 Pages

TCS-80720/65
June 1965

PHOTOGRAPHIC INTERPRETATION REPORT

SOVIET MILITARY ORDER OF BATTLE MOSCOW MD



CIA




DIA

Handle Via **TALENT - KEYHOLE** Control Only

WARNING

This document contains classified information affecting the national security of the United States within the meaning of the espionage laws U. S. Code Title 18, Sections 793 and 794. The law prohibits its transmission or the revelation of its contents in any manner to an unauthorized person, as well as its use in any manner prejudicial to the safety or interest of the United States or for the benefit of any foreign government to the detriment of the United States. It is to be seen only by personnel especially indoctrinated and authorized to receive TALENT-KEYHOLE information. Its security must be maintained in accordance with KEYHOLE and TALENT regulations.

NATIONAL PHOTOGRAPHIC INTERPRETATION CENTER



TOP SECRET

DECLASS REVIEW by NIMA/DOD

Handle Via
TALENT-KEYHOLE
Control System Only

TCS-80720/65

PREFACE

This report is one in a series on Soviet Ground Force and Logistic installations being prepared for a DIA/CIA Panel. The series is being coordinated, published and disseminated by NPIC. The photographic analysis is being performed by the NPIC Photographic Analysis Group, the CIA Photographic Intelligence Division (NPIC), and the Production Center 1P1a (DIA). The photographic analysis for this particular report was performed by the NPIC Photographic Analysis Group.

In the interest of uniformity, the titles and letter designators for the facilities observed at these installations are identical with those appearing in the project requirement. When a specific facility is not observed both its title and letter designator are omitted in the report.

Titles and letter designators for the various facilities are as follows: (A) railroad service, (B) road service, (C) landing strips, (D) administrative and troop housing areas, (E) storage areas, (F) ammunition storage areas, (G) POL storage areas, (H) other buildings and facilities, (J) equipment storage/maintenance areas, (K) athletic fields, (L) small arms firing ranges, (M) driver training areas, (N) tank/assault gun firing ranges, (P) flat trajectory firing ranges, (Q) artillery emplacements (batteries), (R) infantry or combined arms field training area or courses, (S) special training facilities, (T) unidentified facilities or tracking activity.

Handle Via
TALENT-KEYHOLE
Control System Only

TOP SECRET RUFF

Handle Via
TALENT-KEYHOLE
Control System Only

TCS-80720/65

MUROM ENGINEER DEPOT NORTHWEST

(55-35N 042-01E)

MUROM, VLADIMIRSKAYA OBLAST, USSR

MOSCOW MD

25X1A

25X1C

AL No: [REDACTED]

COMOR No: [REDACTED]




FIGURE 1. LOCATION OF MUROM ENGINEER DEPOT NORTHWEST.

NPIC K-1918 (6/65)


TOP SECRET RUFF

Handle Via
TALENT-KEYHOLE
Control System Only

TOP SECRET RUSS

Handle Via
TALENT-KEYHOLE
Control System Only

TCS-80720/65



NPIC K-1919 (6/65)

FIGURE 2. MUROM ENGINEER DEPOT NORTHWEST, MUROM, USSR

25X1D

Handle Via
TALENT-KEYHOLE
Control System Only

TOP SECRET RUSS

TOP SECRET RUFF

Handle Via
TALENT-KEYHOLE
Control System Only

TCS-80720/65

SUMMARY

Murom Engineer Depot Northwest is located on the northwest edge of Murom (Figure 1).

The installation covers approximately 45 acres and is comprised of a storage area on the south side of the road and an associated probable vehicle park on the north. The storage area contains 20 storage buildings and 3 support buildings. The probable vehicle park con-

tains 5 probable vehicle sheds and 4 support buildings (Figures 2 and 3). The military significance of this installation is undetermined.

The area is covered on [REDACTED] KEYHOLE missions between [REDACTED]

[REDACTED] No change in facilities is discernible and a light level of activity can be observed on all coverage.

DESCRIPTION OF INSTALLATION

Rail Service

A siding from the Murom-Kovrov rail line parallels the probable vehicle park.

Road Service

The installation is served by city streets.

General Storage Area

Area E contains 20 storage buildings and 3 support buildings.

POL Storage Area

Three medium POL tanks are located at 55-34N 042-00E.

Equipment Storage/Maintenance Area

Area J, a probable vehicle park, contains 5 probable vehicle sheds (two 225 by 35 feet, two 200 by 35 feet, and one 150 by 35 feet) and 4 support buildings.

TOP SECRET RUFF

Handle Via
TALENT-KEYHOLE
Control System Only

TOP SECRET RUF

Handle Via
TALENT-KEYHOLE
Control System Only

TCS-80720/65




FIGURE 3. MUROM ENGINEER DEPOT NORTHWEST. Sketch compiled from [REDACTED]

25X1D

Handle Via
TALENT-KEYHOLE
Control System Only

TOP SECRET RUF


TOP SECRET RUFF

Handle Via
TALENT-KEYHOLE
Control System Only

TCS-80720/65

25X1D

REFERENCES



MAPS OR CHARTS

US Air Target Chart, Series 200, Sheet 166-2HL, 3d ed, Feb 63 (SECRET)

REQUIREMENT

C-RR4-81,733 (partial answer)

NPIC PROJECT

11709/64

TOP SECRET RUFF

Handle Via
TALENT-KEYHOLE
Control System Only

TOP SECRET

TOP SECRET